

TREE CANOPY REQUIREMENTS TABLE

To be completed by the consultant and placed on the first sheet of the Sediment Control / Stormwater Management plan set for all projects.

Exempt: Yes No If exempt under Section 55-5 of the Code, please check the applicable exemption category below.

Total Property Area	Total Disturbed Area
_____ square feet	_____ square feet
Shade Trees Required	Shade Trees Proposed to be Planted
_____	_____
Fee in Lieu (Trees Required – Trees Planted) x \$250	\$ _____

Required Number of Shade Trees

Area (sq. ft.) of the Limits of Disturbance	Number of Shade Trees Required																	
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><u>FROM</u></td> <td style="text-align: center;"><u>TO</u></td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">6,000</td> </tr> <tr> <td style="text-align: center;">6,001</td> <td style="text-align: center;">8,000</td> </tr> <tr> <td style="text-align: center;">8,001</td> <td style="text-align: center;">12,000</td> </tr> <tr> <td style="text-align: center;">12,001</td> <td style="text-align: center;">14,000</td> </tr> <tr> <td style="text-align: center;">14,001</td> <td style="text-align: center;">40,000</td> </tr> </table>	<u>FROM</u>	<u>TO</u>	1	6,000	6,001	8,000	8,001	12,000	12,001	14,000	14,001	40,000	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">3</td> </tr> <tr> <td style="text-align: center;">6</td> </tr> <tr> <td style="text-align: center;">9</td> </tr> <tr> <td style="text-align: center;">12</td> </tr> <tr> <td style="text-align: center;">15</td> </tr> </table>	3	6	9	12	15
<u>FROM</u>	<u>TO</u>																	
1	6,000																	
6,001	8,000																	
8,001	12,000																	
12,001	14,000																	
14,001	40,000																	
3																		
6																		
9																		
12																		
15																		

If the square footage of the limits of disturbance is more than 40,000, then the number of shade trees required must be calculated using the following formula:

$$(\text{Number of Square Feet in Limits of Disturbance} \div 40,000) \times 15$$

EXEMPTION CATEGORIES:

- | | |
|---|---|
| <ul style="list-style-type: none"> <input type="checkbox"/> 55-5(a) any activity that is subject to Article II of Chapter 22A; <input type="checkbox"/> 55-5(b) any commercial logging or timber harvesting operation with an approved exemption from Article II of Chapter 22A; <input type="checkbox"/> 55-5(f) any activity conducted by the County Parks Department; <input type="checkbox"/> 55-5(g) routine or emergency maintenance of an existing stormwater management facility, including an existing access road, if the person performing the | <p style="margin-left: 20px;">maintenance has obtained all required permits;</p> <ul style="list-style-type: none"> <input type="checkbox"/> 55-5(h) any stream restoration project if the person performing the work has obtained all necessary permits; <input type="checkbox"/> 55-5(i) cutting or clearing any tree to comply with applicable provisions of any federal, state, or local law governing safety of dams; <input type="checkbox"/> OTHER: Specify per Section 55-5 of the Code.
_____ |
|---|---|